

SAFETY DATA SHEET

Revision date: 30-Aug-2022



Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name FB200
Product Code(s) 000000052085

Other means of identification

Synonyms FB200 Slow Set, FB200R
Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Monolithic support system grout.
Uses advised against No information available.

Supplier

Minova Australia Pty Ltd
ABN: 084 965 962
102 Albatross Road,
Nowra, NSW 2541
Australia

Telephone Number: 1300 MINOVA (1300 646 682)
Facsimile: 1300 FAXMINOVA (1300 329 646)
Website: www.minovaglobal.com

Emergency telephone number

Emergency telephone number **1800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Specific target organ toxicity (single exposure)	Category 3

SIGNAL WORD

Danger

Label elements

Corrosion
Exclamation mark

**Hazard statements**

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray
Wash hands thoroughly after handling
Use only outdoors or in a well-ventilated area
Contaminated work clothing should not be allowed out of the workplace
Wear protective gloves / protective clothing / eye protection / face protection

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN: Wash with plenty of soap and water
If skin irritation or rash occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse
IF INHALED: Remove person to fresh air and keep comfortable for breathing
Call a POISON CENTER or doctor if you feel unwell

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed
Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

Chemical name	CAS No.	Weight-%
Slags, ferrous metal, blast furnace	65996-69-2	30-60%
Portland Cement	65997-15-1	10-<30%
Calcium sulfate	7778-18-9	10-<30%
Ingredients determined not to be hazardous	-	to 100%

4. FIRST AID MEASURES**Description of first aid measures****General advice**

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get immediate medical advice/attention.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Use personal protective equipment as required. See section 8 for more information. Avoid contact with eyes. Avoid contact with skin. Do not breathe dust.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause allergic skin reaction. May cause redness and tearing of the eyes. Irritating. Erythema (skin redness). Coughing and/ or wheezing.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically. Can cause corneal burns.
---------------------------	---

5. FIRE FIGHTING MEASURES**Suitable Extinguishing Media**

Suitable Extinguishing Media	Not combustible, however, if material is involved in a fire use:. Extinguishing media appropriate to surrounding fire conditions.
-------------------------------------	---

Unsuitable extinguishing media**Specific hazards arising from the chemical**

Specific hazards arising from the chemical	Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. May cause sensitization by skin contact. The product causes irritation of eyes, skin and mucous membranes.
---	--

Hazardous combustion products	Calcium oxides. Oxides of silicon. Oxides of sulfur. Oxides of iron. Aluminium oxides.
--------------------------------------	--

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Evacuate personnel to safe areas. Do not breathe dust. Work up wind or increase ventilation. Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. See section 8 for more information. Do not touch or walk through spilled material.
-----------------------------	---

Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
<u>Environmental precautions</u>	
Environmental precautions	Keep out of waterways. Local authorities should be advised if significant spillages cannot be contained.
<u>Methods and material for containment and cleaning up</u>	
Methods for containment	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Prevent dust cloud. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Collect in properly labelled containers for disposal. Avoid generation of dust. Work up wind or increase ventilation. Keep in suitable, closed containers for disposal. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin and eyes. Do not get in eyes. Do not breathe dust. Avoid generation of dust. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.
General hygiene considerations	Do not get in eyes, on skin, or on clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container closed when not in use. Store under cover in a dry place. Keep away from water or moist air. Store away from incompatible materials described in Section 10.
Incompatible materials	Acids. Oxidizing agents. Interhalogens. Ethanol.
Poisons Schedule (SUSMP)	None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits	No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):
------------------------	--

Portland cement: 8hr TWA = 10 mg/m³
Calcium sulfate: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric

contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls

Eyewash stations. Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Eye/face protection

Goggles.

Skin and body protection

Wear suitable protective clothing. Overalls. Protective shoes or boots.

Hand protection

Protective gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid
Appearance	Powder
Color	Grey
Odor	Cementitious
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	Not applicable	None known
Flash point	Not applicable	None known
Evaporation rate	Not applicable	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	

limits		
Lower flammability or explosive limits	Not applicable	
Vapor pressure	Not applicable	None known
Vapor density	Not applicable	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	Insoluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	Not applicable	None known
Dynamic viscosity	No data available	None known

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity Reacts with acids.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Protect from moisture. Dust formation.

Incompatible materials

Incompatible materials Acids. Oxidizing agents. Interhalogens. Ethanol.

Hazardous decomposition products

Hazardous decomposition products Calcium oxides. Oxides of silicon. Oxides of sulfur. Oxides of iron. Aluminium oxides.

11. TOXICOLOGICAL INFORMATIONAcute toxicityInformation on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Causes skin irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact. Prolonged or repeated contact may dry skin and cause irritation.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Erythema (skin redness). Irritating. May cause allergic skin reaction. May cause redness and tearing of the eyes. Coughing and/ or wheezing.

Numerical measures of toxicity - Product Information

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate	> 3000 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	May cause an allergic skin reaction. May cause sensitization by skin contact.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classified. Classification is based on mixture calculation methods based on component data.
Reproductive toxicity	Not classified.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	Not classified.
Chronic effects:	<p>This material may contain trace amounts of crystalline silica. Epidemiological studies in humans have revealed that crystalline silica may cause lung cancer, silicosis, lymph node fibrosis, airways disease, emphysema and lung inflammation.</p> <p>Long-term overexposure to crystalline silica causes Silicosis, a form of pulmonary fibrosis. Continued overexposure to silica can lead to cardiopulmonary impairment.</p> <p>Crystalline silica has been classified by the International Agency for Research on Cancer (IARC) as a Group 1 agent. Group 1 - the agent is carcinogenic to humans.</p> <p>This material may contain trace amounts of chromium (VI). For Chromium (VI): Prolonged exposure may lead to skin sensitisation.</p> <p>Chromium (VI) compounds cause cancer of the lung. Positive associations have been observed between exposure to chromium (VI) compounds and cancer of the nose and</p>

nasal sinuses. This material has been classified by the International Agency for Research on Cancer (IARC) as a Group 1. Group 1 - The agent is carcinogenic to humans.

This product may produce an allergic skin reaction. It should be treated as a skin sensitiser.

Inhalation of the dusts should be avoided as even inert dusts may impair respiratory organ functions.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium sulfate	-	LC50: =2980mg/L (96h, <i>Lepomis macrochirus</i>) LC50: >1970mg/L (96h, <i>Pimephales promelas</i>)	-	EC50: =3200mg/L (120h, <i>Nitscheria linearis</i>)

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

Other adverse effects High concentrations may harm aquatic life by the effect on pH.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Dispose of contents/ container to an approved landfill.

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories

AIIC All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 30-Aug-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as shipped is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet