## SAFETY DATA SHEET

Revision date: 23-Dec-2020



**Revision Number** 3

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name FB400

Product Code(s) 000000052086

Other means of identification

Synonyms FB400 PLUS

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Cable bolt grout.

Uses advised against No information available.

**Supplier** 

Minova Australia Pty Ltd ABN: 084 965 962 102 Albatross Road, Nowra, NSW 2541 Australia

Telephone Number: 1300 MINOVA (1300 646 682) Facsimile: 1300 FAXMINOVA (1300 329 646)

Website: www.minovaglobal.com

### Emergency telephone number

Emergency telephone number 1800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

 000000052086 - FB400
 Revision date: 23-Dec-2020

 Revision Number 3

## **SIGNAL WORD**

Danger

#### Label elements

Corrosion Health hazard Exclamation mark



#### **Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe dusts or mists

Wash hands thoroughly after handling

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves / protective clothing / eye protection / face protection

### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see First aid on this SDS)

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

# Other hazards which do not result in classification Poisons Schedule (SUSMP) None allocated

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%
Portland Cement	65997-15-1	>60%
Sand (Crystalline silica)	-	1-<10%
Calcium hydroxide	1305-62-0	1-<5%
Ingredients determined not to be hazardous	-	to 100%

Revision Number 3

## 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. Administer

oxygen if breathing is difficult. If symptoms persist, call a physician. If breathing has

stopped, give artificial respiration. Get medical attention immediately.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get immediate

medical advice/attention.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated

clothing and wash before reuse. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician immediately. Never give anything by mouth to an unconscious person.

Self-protection of the first aider

Use personal protective equipment as required. See section 8 for more information. Avoid

contact with eyes. Avoid contact with skin. Do not breathe dust.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction. May cause redness and tearing of the eyes. Irritating.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

surrounding environment.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes. Avoid generation of dust.

Hazardous combustion products Calcium oxides. Oxides of silicon.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Revision Number 3

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. See section 8

for more information. Avoid contact with skin, eyes, and clothing.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions**Keep out of waterways. Local authorities should be advised if significant spillages cannot

be contained.

#### Methods and material for containment and cleaning up

Methods for containment Absorb or cover with dry earth, sand or other non-combustible material and transfer to

containers. Prevent dust cloud. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Keep in suitable, closed containers for disposal. After cleaning, flush away traces with

water. Avoid generation of dust.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Do not get in eyes.

Do not breathe dust. Avoid generation of dust. Do not eat, drink or smoke when using this

product. Handle in accordance with good industrial hygiene and safety practice.

**General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Do not get in eyes,

on skin, or on clothing. Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container closed when not in use. Store under cover in a dry place. Keep away from

water or moist air.

Incompatible materials Acids.

Poisons Schedule (SUSMP) None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Portland cement: 8hr TWA = 10 mg/m <sup>3</sup> Calcium hydroxide: 8hr TWA = 5 mg/m<sup>3</sup>

Silica Crystalline - Quartz (respirable dust): 8hr TWA = 0.05 mg/m<sup>3</sup>, Carcinogen Category 1A

 000000052086 FB400
 Revision date:
 23-Dec-2020

 Revision Number
 3

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

Carcinogen Category 1A - established human carcinogen. There is sufficient evidence to establish a causal association between human exposure and the development of cancer.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.











Eye/face protection

Goggles.

Skin and body protection

Wear suitable protective clothing. Overalls. Protective shoes or boots.

Hand protection

Protective gloves.

Respiratory protection

If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the

requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** 

No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorGreyOdorCementitious

Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 11 - 12 None known

**Revision Number** 3

pH (as aqueous solution) No data available None known No data available None known Melting point / freezing point Not applicable None known **Boiling point / boiling range** Not applicable Flash point None known **Evaporation rate** Not applicable None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure No data available Vapor density None known No data available Relative density None known Water solubility No data available None known Solubility(ies) No data available None known None known **Partition coefficient** No data available **Autoignition temperature** Not applicable None known **Decomposition temperature** No data available None known Kinematic viscosity Not applicable None known Dynamic viscosity No data available None known

Other information

Bulk density 1.2-1.6

## 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** Reacts with strong acids.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

**Conditions to avoid** 

**Conditions to avoid** Protect from moisture. Dust formation.

**Incompatible materials** 

Incompatible materials Acids.

**Hazardous decomposition products** 

Hazardous decomposition products Calcium oxides. Oxides of silicon.

## 11. TOXICOLOGICAL INFORMATION

 000000052086 - FB400
 Revision date: 23-Dec-2020

 Revision Number 3

#### **Acute toxicity**

#### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact**Causes skin irritation. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. May cause sensitization by skin contact. Prolonged or repeated

contact may dry skin and cause irritation.

**Ingestion** Can burn mouth, throat, and stomach.

Symptoms Erythema (skin redness). Irritating. May cause allergic skin reaction. May cause redness

and tearing of the eyes.

#### Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium hydroxide	= 7340 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/eye irritation** Causes serious eye damage.

Respiratory or skin sensitization May cause an allergic skin reaction. May cause sensitization by skin contact.

Germ cell mutagenicity Not classified.

**Carcinogenicity** May cause cancer. Contains a known or suspected carcinogen.

Reproductive toxicity Not classified.

**STOT - single exposure** May cause respiratory irritation.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure. (lungs).

Aspiration hazard Not classified.

**Chronic effects:** This material contains a small proportion of respirable crystalline silica as quartz(<1%).

Crystalline silica has been classified by the International Agency for Research on Cancer

(IARC) as a Group 1 agent. Group 1 - The agent is carcinogenic to humans.

Epidemiological studies in humans have revealed that crystalline silica may cause lung cancer, silicosis, lymph node fibrosis, airways disease, emphysema and lung inflammation.

It may be progressive, and lead to disability and death.

Crystalline silica has been shown to cause silicosis and lung cancer. Crystalline silica only causes these conditions when inhaled. Long-term overexposure to crystalline silica causes

Silicosis, a form of pulmonary fibrosis. Continued overexposure to silica can lead to

**Revision Number** 3

cardiopulmonary impairment.

This material may contain trace amounts of chromium (VI). For Chromium (VI): Chromiun (VI) compounds cause cancer of the lung. Positive associations have been observed between exposure to chromium (VI) compounds and cancer of the nose and nasal sinuses. This material has been classified by the International Agency for Research on Cancer (IARC) as a Group 1. Group 1 - The agent is carcinogenic to humans.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Ecotoxicity** Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcium hydroxide	-	LC50: =160mg/L (96h,	-	-
		Gambusia affinis)		

#### Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

Mobility in soil No information available.

Other adverse effects

Other adverse effects High concentrations may harm aquatic life by the effect on pH.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Dispose of contents/ container to an approved landfill.

## 14. TRANSPORT INFORMATION

#### ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

**Revision Number** 3

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

#### Legend:

- Australian Inventory of Industrial Chemicals

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## 16. OTHER INFORMATION

Reason(s) For Issue: Revised Primary SDS

Change to Product Name

Issuing Date: 23-Dec-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

 000000052086 FB400
 Revision date:
 23-Dec-2020

 Revision Number
 3

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### <u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**