

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** **SPRAY PLAST UW**

**Recommended Use of the Chemical and Restrictions on Use** Hand or machine applied plaster that is used for mining applications.

**Supplier:** Orica Australia Pty Ltd trading as Minova Australia  
**ABN:** 99 004 117 828  
**Street Address:** George Booth Drive,  
Kurri Kurri, NSW 2327  
Australia

**Telephone Number:** 1300 MINOVA (1300 646 682)  
**Facsimile:** 1300 FAXMINOVA (1300 329 646)  
**Website:** www.minovaglobal.com

**Emergency Telephone:** **1800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Skin Irritation - Category 2  
Skin Sensitisation - Category 1  
Eye Damage - Category 1  
Specific target organ toxicity (single exposure) - Category 3

**SIGNAL WORD:** DANGER



### Hazard Statement(s):

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.

### Precautionary Statement(s):

#### Prevention:

P261 Avoid breathing mist, vapours, spray.  
P264 Wash hands thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves / protective clothing / eye protection / face protection.

# Safety Data Sheet



## Response:

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P321 Specific treatment (see First Aid Measures on Safety Data Sheet).  
P363 Wash contaminated clothing before re-use.

## Storage:

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

## Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

**Poisons Schedule (SUSMP):** None allocated.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Calcium sulphate, hemihydrate	10034-76-1	86-100%	-
Portland Cement	65997-15-1	0-10%	H315 H317 H318 H335
Proprietary additives	-	0-4%	-

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. If patient finds breathing difficult and develops a bluish discoloration of the skin (which suggests a lack of oxygen in the blood - cyanosis), ensure airways are clear of any obstruction and have a qualified person give oxygen through a face mask. Apply artificial respiration if patient is not breathing. Seek immediate medical advice.

### Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

### Eye Contact:

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre. Continue to wash with large amounts of water until medical help is available.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Can cause corneal burns.  
Drinking glycerine, gelatine solutions or large volumes of water may delay the hardening of this product in the stomach. Surgical relief of obstruction may be required. (1)

Product Name: SPRAY PLAST UW  
Substance No: 00000052119

Issued: 13/04/2015  
Version: 2

## 5. FIRE FIGHTING MEASURES

### **Suitable Extinguishing Media:**

Not combustible, however, if material is involved in a fire use: Media applicable to surrounding fire.

### **Specific hazards arising from the chemical:**

Calcium sulphate mixed with phosphorous will ignite at high temperatures. When primed at a high temperature with potassium nitrate - calcium silicide mixture, calcium sulphate mixed with excess phosphorus will burn.

A violent or explosive reaction can occur upon heating when calcium sulphate is mixed with aluminium powder.

Explosion can result from an exothermic reaction when calcium sulphate is mixed with diazomethane vapor.

### **Special protective equipment and precautions for fire-fighters:**

Non-combustible material. Decomposes on heating emitting toxic fumes, including those of oxides of sulfur.

## 6. ACCIDENTAL RELEASE MEASURES

### **Emergency procedures/Environmental precautions:**

Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

### **Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:**

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling:**

Avoid skin and eye contact and breathing in dust. Avoid handling which leads to dust formation.

### **Conditions for safe storage, including any incompatibilities:**

Store under cover in a dry place. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Calcium sulfate: 8hr TWA = 10 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

# Safety Data Sheet



## Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Powder
<b>Colour:</b>	White
<b>Odour:</b>	Low
<b>Solubility:</b>	Slightly soluble in water.
<b>Specific Gravity:</b>	2.6 - 2.7
<b>Relative Vapour Density (air=1):</b>	Not applicable
<b>Vapour Pressure (20 °C):</b>	Not applicable
<b>Flash Point (°C):</b>	Not applicable
<b>Flammability Limits (%):</b>	Not applicable
<b>Autoignition Temperature (°C):</b>	Not applicable
<b>% Volatile by Weight:</b>	Not available
<b>Solubility in water (g/L):</b>	0.5%
<b>Melting Point/Range (°C):</b>	Not available
<b>Decomposition Point (°C):</b>	Not available
<b>pH:</b>	Not available
<b>Viscosity:</b>	Not applicable
<b>Evaporation Rate:</b>	Not applicable

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical stability:</b>	Stable under normal conditions of use.

# Safety Data Sheet



<b>Possibility of hazardous reactions:</b>	Hazardous polymerisation will not occur.
<b>Conditions to avoid:</b>	Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to moisture.
<b>Incompatible materials:</b>	Incompatible with aluminium (when heated), diazomethane, phosphorus ( at high temperatures ), oxidising agents and water.
<b>Hazardous decomposition products:</b>	Oxides of sulfur.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Ingestion:</b>	Swallowing can result in nausea, vomiting, diarrhoea, and gastrointestinal irritation.
<b>Eye contact:</b>	A severe eye irritant. Contamination of eyes can result in permanent injury.
<b>Skin contact:</b>	Contact with skin will result in irritation. A skin sensitizer. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
<b>Inhalation:</b>	Material is irritant to the mucous membranes of the respiratory tract (airways).
<b>Acute toxicity:</b>	No LD50 data available for the product.
<b>Skin corrosion/irritation:</b>	Irritant.
<b>Serious eye damage/irritation:</b>	Causes serious eye damage.
<b>Respiratory or skin sensitisation:</b>	A skin sensitizer.

**Chronic effects:** No information available for the product.

<b>Mutagenicity:</b>	No information available.
<b>Carcinogenicity:</b>	Not classified.
<b>Reproductive toxicity:</b>	No information available.
<b>Specific Target Organ Toxicity (STOT) - single exposure:</b>	May cause respiratory irritation.
<b>Specific Target Organ Toxicity (STOT) - repeated exposure:</b>	No information available.
<b>Aspiration hazard:</b>	Not classified.

Crystalline silica is present in trace amounts in calcium sulphate hemihydrate. However due to the extremely low levels of crystalline silica in this product, chronic health effects are not anticipated with normal use. Crystalline silica has been classified by the International Agency for Research on Cancer (IARC) as a Group 1 agent. Group 1 - The agent is carcinogenic to humans.

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	Avoid contaminating waterways.
<b>Persistence/degradability:</b>	No information available.

# Safety Data Sheet



**Bioaccumulative potential:** No information available.

**Mobility in soil:** No information available.

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods:**

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations. Normally suitable for disposal at approved land waste site.

## 14. TRANSPORT INFORMATION

### **Road and Rail Transport**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### **Marine Transport**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### **Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### **Classification:**

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### **Classification of the chemical:**

Skin Irritation - Category 2

Skin Sensitisation - Category 1

Eye Damage - Category 1

Specific target organ toxicity (single exposure) - Category 3

### **Hazard Statement(s):**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Poisons Schedule (SUSMP):** None allocated.

This material is listed on the Australian Inventory of Chemical Substances (AICS) or has been assessed under the National Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

## 16. OTHER INFORMATION

(1) Supplier Safety Data Sheet; 04/ 2013.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Product Name: SPRAY PLAST UW  
Substance No: 00000052119

Issued: 13/04/2015  
Version: 2

# Safety Data Sheet



## Reason(s) for Issue:

5 Yearly Revised Primary SDS  
Change in Hazardous Chemical Classification  
Alignment to GHS requirements  
Change in First Aid Measures  
Change in Personal Protection Requirements  
Update in Toxicological Information

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as shipped is subject to the terms and conditions of sale, a copy of which is available upon request.