

SAFETY DATA SHEET



Revision date: 25-Aug-2021

Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SENATEL MAGNUM

Product Code(s) 00000009251

Other means of identification

Proper shipping name EXPLOSIVE, BLASTING, TYPE E

UN number 0241

Recommended use of the chemical and restrictions on use

Recommended use Mining, quarrying and general blasting work where an energetic water-resistant explosive is required. Restricted to professional users.

Uses advised against No information available.

Details of the supplier of the safety data sheet

Supplier

Orica New Zealand Limited
Street Address:
Brunnings Road
Carters Beach
Westport, 7892
New Zealand

Telephone Number: +64 3 788 8163

For further information, please contact

Contact Point Product Safety Department

Emergency telephone number

Emergency Telephone **0 800 734 607 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS Classification

SIGNAL WORD

Danger

EPA New Zealand HSNO approval code or group standard HSR100175

The 'Health and Safety at Work (Hazardous Substances) Regulations, 'Hazardous substances that require tracking' are applicable to this material.

Explosives	Division 1.1 D
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Effects on or via lactation	Yes
Specific target organ toxicity (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1

Label elements



Hazard statements

H201 - Explosive; mass explosion hazard
 H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H362 - May cause harm to breast-fed children
 H372 - Causes damage to organs through prolonged or repeated exposure
 H400 - Very toxic to aquatic life

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 Keep only in original packaging
 Do not subject to grinding/shock/friction
 Wash hands thoroughly after handling
 Do not breathe fume, gas, mist, vapours, spray
 Do not eat, drink or smoke when using this product
 Avoid contact during pregnancy and while nursing
 Wear protective gloves / protective clothing / eye protection / face protection
 Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)
 If exposed or concerned: Get medical advice/attention
 Get medical advice/attention if you feel unwell
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of water and soap
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash it before reuse
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth
 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives
 Collect spillage

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable
 Refer to manufacturer/supplier for information on disposal/recovery/recycling

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture**

Chemical name	CAS No.	Weight-%
Ammonium nitrate	6484-52-2	>60%
Sodium perchlorate	7601-89-0	<10%
Aluminium	7429-90-5	<10%
Non hazardous component(s)	-	to 100%

4. FIRST AID MEASURES**Description of first aid measures**

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Emergency telephone number	Poisons Information Center, New Zealand: 0800 764 766 Poisons Information Center, Australia: 13 11 26
Inhalation	Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, (trained personnel should) give oxygen. Immediately give oxygen if victim turns blue (lips, ears, fingernails). If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with plenty of water. Get medical attention if irritation develops and persists. Take off contaminated clothing and wash before reuse.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Nitrates can be absorbed through cut, burnt or broken skin.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically. Explosive material. Shrapnel from detonation may cause burns, wounds and bruises. Treat as for exposure to nitrates. May cause methemoglobinemia. Clinical findings: The smooth muscle relaxant effect of nitrate salts may lead to headache, dizziness and marked hypotension. Cyanosis is clinically detectable when approximately 15% of the haemoglobin has been converted to methaemoglobin (ferric iron). Symptoms such as headache, dizziness, weakness and dyspnoea occur when methemoglobin concentrations are 30% to 40%; at levels of about 60% stupor, convulsions, coma and respiratory paralysis occur and the blood is a chocolate brown colour. At higher levels death may result. Spectrophotometric analysis can determine the presence and concentration of
---------------------------	---

methemoglobin in the blood.

Treatment:

1. Give 100% oxygen.
2. In cases of (a) ingestion: use gastric lavage, (b) contamination of skin (unburnt or burnt): continue washing to remove salts.
3. Observe blood pressure and treat hypotension if necessary.
4. When methaemoglobin concentrations exceed 40% or when symptoms are present, give methylene blue 1 or 2 mg/kg body weight in a 1% solution by slow intravenous injection. If cyanosis has not been resolved within one hour a second dose of 2 mg/kg body weight may be given. The total dose should not exceed 7 mg/kg body weight as unwanted effects such as dyspnoea, chest pain, vomiting, diarrhoea, mental confusion and cyanosis may occur. Without treatment methaemoglobin levels of 20-30% revert to normal within 3 days.
5. Bed rest is required for methaemoglobin levels in excess of 40%.
6. Continue to monitor and give oxygen for at least two hours after treatment with methylene blue.
7. Consider transfer to centre where haemoperfusion can be performed to remove the nitrates from the blood if the condition of the patient is unstable.
8. Following inhalation of oxides of nitrogen the patient should be observed in hospital for 24 hours for delayed onset of pulmonary oedema.

Further observation for 2-3 weeks may be required to detect the onset of the inflammatory changes of bronchiolitis fibrosa obliterans.

Effects from exposure to decomposition products including nitrogen dioxide (possible decomposition component) can include chest discomfort, shortness of breath and possible pulmonary oedema, the onset of which may be delayed. The exposed person should be kept under medical surveillance for 24 hours for delayed onset of pulmonary oedema.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Do not fight fires involving explosives.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Specific hazards arising from the chemical Explosive. May be ignited by heat, sparks or flames. May explode from friction, heat or contamination. Risk of explosion by shock or heating under confinement. On burning under confined or semi-confined conditions, some oxides of nitrogen and/or carbon will be present. Brown fumes indicate the presence of toxic oxides of nitrogen.

Hazardous combustion products Carbon oxides. Nitrogen oxides. Ammonium nitrate fumes. Ammonia. Aluminium oxides.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters In the case of a small fire, if actual explosive is not burning, carefully remove as much explosive as possible to a safe distance. However, if explosive is burning, evacuate area immediately and allow to burn. DO NOT fight fire.

A major fire may involve a risk of explosion. An adjacent detonation may also involve the risk of explosion. Mass explosion hazard.

Hazchem code E

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Explosive material. Evacuate personnel to safe areas. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not subject to grinding/shock/friction. Use personal protective equipment as required. Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

In the case of a transport accident notify the Police, Regulatory Authorities and Orica Australia Pty Ltd (Telephone: 1800 033 111 -- 24 hour service) and/or Orica New Zealand Ltd (Telephone: 0800 734 607 -- 24 hour service) or Orica International (Telephone: +61 3 9663 2130 -- 24 hour service Australia).

For emergency responders Explosive material. Remove all sources of ignition. Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Keep out of waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Handle with care. Collect with clean non-metallic implements. Use a spark-free shovel. Collect in properly labelled containers, with loose fitting lids, for disposal. After cleaning, flush away traces with water.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Hazardous Substances (Emergency Management) Regulations 2001 Emergency management plans complying with applicable legislation should be in place.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Keep out of reach of children. Handle with care. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Avoid contamination with other substances.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Do not get in eyes, on skin, or on clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store material in a well ventilated magazine suitably licensed for the explosives hazard classification. Do not store with other explosives products that have an incompatible explosives hazard classification (for example detonators must not be stored with blasting/high explosives). Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store away from strong acids, strong alkalis, nitrites, chlorates, chlorides, permanganates. Store away from other materials. Protect from physical damage.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with combustible materials. Incompatible with permanganates. Ammonium nitrate is a powerful oxidising agent. Ammonium nitrate is incompatible with, and must be stored away from, tetranitromethane, dichloroisocyanuric acid, trichloroisocyanuric acid, bromates, chlorates, chlorites, hypochlorites, perchlorates, chloroisocyanurates, nitrites, powdered metals, strong acids, reducing agents, permanganates, combustible materials, brass, bronze, copper, zinc.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****Exposure Limits**

No value assigned for this specific material by the New Zealand Workplace Health & Safety Authority. However, Workplace Exposure Standard(s) for constituent(s):

Oil mist, mineral: WES-TWA 5 mg/m³, WES-STEL 10 mg/m³
Aluminium, as Al Metal dust: WES-TWA 10 mg/m³

Decomposition product(s):

Nitrogen dioxide: WES-TWA 1 ppm, 1.9 mg/m³

As published by the New Zealand Workplace Health & Safety Authority.

WES - TWA (Workplace Exposure Standard - Time Weighted Average) - The eight-hour, time-weighted average exposure standard is designed to protect the worker from the effects of long-term exposure.

WES - STEL (Workplace Exposure Standard - Short Term Exposure Limits) - The 15 minute average exposure standard. Applies to any 15 minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both short-term and eight-hour, time-weighted average exposures should be determined.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls**Engineering controls**

Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Ventilation systems.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection	Goggles.
Hand protection	Protective gloves.
Skin and body protection	Overalls. Protective shoes or boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Article. Cartridged into plastic 'sausages' with metal clips at both ends.
Appearance	Emulsion
Color	Grey / Cream
Odor	Negligible
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.15-1.35 @ 20°C	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	Explosive; mass explosion hazard.	

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity Explosive.

Chemical stability

Stability Explosive properties. Risk of explosion by shock, friction, fire or other sources of ignition. Capable of detonation, explosive decomposition, or explosive reaction but requires a strong initiating source or must be heated under confinement before initiation. Detonation may occur from static electricity discharge or mechanical/heavy impact, particularly under confinement.

Explosion data

Sensitivity to mechanical impact Yes.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Hazardous polymerization Hazardous polymerization does not occur.

Possibility of hazardous reactions A major fire may involve a risk of explosion. An adjacent detonation may also involve the risk of explosion. Mass explosion hazard. Explosion may result due to shock, friction, fire or other sources of ignition. Detonation may occur from heavy impact or excessive heating. Explosion creates the potential for shrapnel.

Conditions to avoid

Conditions to avoid Heat. Keep away from open flames, hot surfaces and sources of ignition. Static discharge (electrostatic discharge). Do not subject to grinding/shock/friction. Avoid contact with combustible substances. Protect from moisture.

Incompatible materials

Incompatible materials Incompatible with strong acids and bases. Incompatible with combustible materials. Incompatible with permanganates. Ammonium nitrate is a powerful oxidising agent. Ammonium nitrate is incompatible with, and must be stored away from, tetranitromethane, dichloroisocyanuric acid, trichloroisocyanuric acid, bromates, chlorates, chlorites, hypochlorites, perchlorates, chloroisocyanurates, nitrites, powdered metals, strong acids, reducing agents, permanganates, combustible materials, brass, bronze, copper, zinc.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Ammonium nitrate fumes. Ammonia. Aluminium oxides. When heated to decomposition (unconfined) ammonium nitrate produces nitrous oxide, white ammonium nitrate fumes and water. When mixed with strong acids, and occasionally during blasting, it produces an irritating toxic brown gas, mostly nitrogen dioxide. When molten it may decompose violently due to shock or pressure.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation of respiratory tract. Causes headache, drowsiness or other effects to the central nervous system. Blasting may produce a toxic brown gas of nitrogen dioxide.

Inhalation of the gas may result in chest discomfort, shortness of breath and possible pulmonary oedema, the onset of which may be delayed.

Eye contact Causes eye irritation.

Skin contact May cause irritation. Prolonged skin contact may defat the skin and produce dermatitis. Shrapnel from detonation may cause burns, wounds and bruises. Nitrates can be absorbed through cut, burnt or broken skin. Further information is provided under 'Chronic Effects'.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). May cause a lowering of blood pressure (hypotension).

Symptoms May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium nitrate	= 2217 mg/kg (Rat)	-	> 88.8 mg/L (Rat) 4 h
Sodium perchlorate	= 2100 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity May cause harm to breast-fed children.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

Chronic effects: No information available for the product.

NITRATES: Absorption of nitrates by ingestion, inhalation or through burnt or broken skin may cause dilation of the blood vessels by direct smooth muscle relaxation with a subsequent lowering of blood pressure and may also cause breathing difficulties, blueness of the skin (cyanosis) and methaemoglobinaemia.

12. ECOLOGICAL INFORMATION

Ecotoxicity**Ecotoxicity** Keep out of waterways.

Ammonium nitrate is a plant nutrient. Large scale contamination may kill vegetation and cause poisoning in livestock and poultry. Ammonium nitrate was evaluated at 5, 10, 25 and 50 mg (NH₄⁺)/L. The fertility of *Daphnia magna* was decreased at 50 mg/L. Post embryonic growth of crustacea was impaired at 10, 25 and 50 mg/L. Can stimulate weed and algal growth in static surface waters.

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ammonium nitrate	-	LC50: 65 - 85mg/L (48h, <i>Cyprinus carpio</i>)	-

Persistence and degradability**Persistence and degradability** No information available.**Bioaccumulative potential****Bioaccumulation** No information available.**Mobility****Mobility in soil** No information available.**Component Information**

Chemical name	Partition coefficient
Ammonium nitrate	-3.1

Other adverse effects**Other adverse effects** No information available.**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Waste from residues/unused products**

Dispose of product in packaging/container in a way that is consistent with the Hazardous Substances (Disposal) Notice 2017 and the Act, and Hazardous Substances (Amendments and Revocations) Notice 2020. Treat the chemical using a method that changes the characteristics or composition of the chemical so that the chemical is no longer a hazardous chemical; or export the chemical from New Zealand as waste.

Small quantities of damaged or deteriorated explosives may be destroyed by inclusion in a blast hole containing good explosive (s). For large quantities of damaged or deteriorated explosives notify Orica Australia Pty Ltd and/or Orica New Zealand Pty Ltd.

Contaminated packaging

For packages that have been in direct contact with hazardous chemicals, the person must ensure that the package is rendered incapable of containing any chemical. It must be disposed of in a manner that is consistent with the requirements for disposal of the chemical that it contained, taking into account the material the package is manufactured from. Packages may only be reused or recycled if the package has been treated to remove any residual contents of the hazardous chemical (class 1, 2, 3, 4, or 5); or the contents of

the residue in the package are below the threshold for the chemical to be classified as hazardous (class 6, 8, or 9 chemical).

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT Classified as a Dangerous Good according to NZS 5433 Transport of Dangerous Goods on Land; DANGEROUS GOODS.

UN number 0241
Proper shipping name EXPLOSIVE, BLASTING, TYPE E
Hazard class 1.1D
Hazchem code E

IATA Forbidden

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 0241
UN proper shipping name EXPLOSIVE, BLASTING, TYPE E
Transport hazard class(es) 1.1D
IMDG EMS Fire F-B
IMDG EMS Spill S-X

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

New Zealand

National regulations See section 8 for national exposure control parameters

The 'Health and Safety at Work (Hazardous Substances) Regulations', 'Hazardous substances that require tracking' are applicable to this material.

EPA New Zealand HSNO approval code or group standard HSR100175

International Inventories

NZIoC Contact supplier for inventory compliance status.
TSCA Contact supplier for inventory compliance status.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AIIC All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

NZIoC - New Zealand Inventory of Chemicals
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

ACGIH is a registered trademark of The American Conference of Governmental Industrial Hygienists.
 `Registry of Toxic Effects of Chemical Substances'. Ed. D. Sweet, US Dept. of Health & Human Services: Cincinnati, 2021

Prepared By This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Issuing Date: 25-Aug-2021

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since The Supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Supplier representative or The Supplier at the contact details on page 1.

The Supplier's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet